

Epson EB-L12000Q

EPSON EB-L12000Q



The large-format EB-L12000Q laser LCD projector from Epson has 12000 Ansi lumens, a contrast of 2500000:1 and a UHD (4K2K) 3840 x 2160 resolution. The manufacturer Epson specifies a service life of 20000 hours, which is over 13.7 years if enjoyed for four hours a day. The built-in lens shift and keystone correction function provides freedom when setting up. An image width of up to 1113 cm is possible as the projector has 12000 Ansi lumens. The projector can create rooms with residual light with a smaller image width, we recommend a maximum of 742 cm. If the image is still too small, the integrated edge blending software can help to project a larger image with additional projectors. The model is also Full HD 1080P and 4K compatible, and even has the option of projecting HD 1080P and 4K Blu-rays onto the ceiling using 360° 1/2 projection. On the market since 2020, the model is no longer offered by the manufacturer Epson, but is still very popular in our projector database.



3 x 1,03" LCD TFT Panel
UHD 16/9 Liquid Crystal Display

Projector

12000 / 8400 im Eco Mode
2500000:1 full on/off
0,0048 min. Lumen

5333 Lux (bei 200 cm Screen)
2500000:1 full on/off
0,002 min. Lumen

Vert.: +/-58% Hori.: +/-16%

UHD (4K2K) 3840 x 2160
8.294.400 Pixel

Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p, 4K UHD, EDTV 480p, 576p

Event | Very large screen width and rooms with plenty of light and shaded daylight.

Laser

Article Nr.: V13H134A58 / ELPAF58

20000 h. 30000 h. in Eco Mode


0,00 € Laser

Powered

Powered 1,63

optional

optional



Brief Introduction
Beta 2.5

Display Type

Ansi-Lumen

Contrast

Black Level

Lens shift

Resolution

Video Modes

Application

Light Source

Light Life

Operating Costs


Focus

Zoom

Objective

Throw Ratio

Audio	Nein	16/9 screen width:200 cm Screen:1 Gain
Connections	HDMI in DVI in D-sub 15pin in und out USB Typ B in RS232C Din 9 pin in HDBaseT in RJ45 in	
Ceiling Mounting	Yes, is possible.	
Power	1741W / 1030W in Eco Mode	
Size WxHxD	620 x 358 x 790 mm (24,4"x14,1"x31,1")	175,35 L/dm³
Operating Noise	45 / 38 dB in Eco Mode	
Weight	51,40 kg / 112,44 lbs.	
Keystone	Vert.: +/-45° Hori.: +/-30°	
Illumination	-	
Frequenz	-	
Foot-Lamberts	495 fL / max. 1113 cm screen width 1696 cd/m²	
Features	■ Full HD 1080P compatible ■ Lens shift Funktion ■ User logo ■ Eco Mode ■ Kensington Slot ■ Warping ■ 360° installable ■ 24/7 continuous operation capable ■ Edge Blending ■ Password protection ■ Optional Wi-Fi network compatible. ■ Lan network compatible. ■ DICOM SIM ■ Built-in camera for image calibration and image capture	
Screen Mirroring	-	



Optional accessories			
	Luftfilter Kompatibel	Alternative zu:ELPAF58 / V13H134A58	146,67 €
	Objektiv Original	V12H004L08 /NELPLL08	3.397,61 €
	Frame Original	V12H989B57 / ELPMB57	EOL €
	Objektiv Original	V12H004UA3 / ELPLU03S	4.787,99 €
	Objektiv Original	ELPLU04 / V12H004U04	4.452,20 €
	Objektiv Original	ELPLW06 / V12H004W06	3.214,85 €
	Objektiv Original	ELPLW08 / V12H004W08	7.155,66 €
	Objektiv Original	V12H004Y02 / ELPLX02W	EOL €
	Objektiv Original	ELPLM15 / V12H004M0F	1.703,31 €
	Objektiv Original	V12H004M0B / ELPLM11	2.012,85 €
	Objektiv Original	V12H004M0A / ELPLM10	2.012,85 €
	Objektiv Original	V12H004U03 / ELPLU03	EOL €
	Objektiv Original	ELPLL08 / V12H004L08	3.397,61 €
	Luftfilter Original	ELPAF58 / V13H134A58	179,63 €



Optional Lenses					
Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
ELPLW08	0.83-1.17:1	1.7-2.3 m	+/-58%	+/-16%	Powered
ELPLW06	1.15-1.57:1	2.3-3.1 m	+/-58%	+/-16%	Powered
ELPLU04	0.62-0.75:1	1.2-1.5 m	+/-58%	+/-16%	Powered
ELPLU03	0.46-0.56:1	0.9-1.1 m	+/-18%	+/-6%	Powered
ELPLM15	1.57-2.56:1	3.1-5.1 m	+/-60%	+/-18%	Powered
ELPLM11	3.42-5.23:1	6.8-10.5 m	+/-58%	+/-16%	Manual
ELPLM10	2.34-3.59:1	4.7-7.2 m	+/-58%	+/-16%	Powered
ELPLL08	5.09-7.16:1	10.2-14.3 m	+/-58%	+/-16%	Powered
Fix Optional Lenses					
ELPLX02 / ELPLX02W	0.34:1	0.7 m	+/-23%	+/-10%	No Zoom

Status 2020 Discontinued (EOL) // Last update of the data: 2025-03-03
Created: 2020-03-03 12:53:43



More Details



HCinema

<https://www.projector-database.com/pro/epsonebl12000q-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice.
HCinema is not responsible for any errors or omissions contained in product descriptions.