


Epson USA Pro L1505UNL

EPSON USA PRO L1505UNL



The large-screen Pro L1505UNL laser LCD has 12000 Ansi lumens, a contrast of 2000000:1 and a UHD (4K2K) 3840 x 2160 resolution. Due to the laser, the projector is specified with 20000 hours of light life, which converts to over 13.7 years at 4 hours per day. The integrated lens shift gives freedom when positioning the projector. The projector can illuminate images up to 1113 cm wide thanks to its 12000 Ansi lumens. The projector can create rooms with residual light with a smaller image width, we recommend a maximum of 742 cm. In the event that the image is still too small, the projector offers integrated edge blending software, which allows several projectors to project a large image together. The model is also Full HD 1080P and 4K compatible and can therefore project Blu-rays even onto the ceiling using 360° projection. The model built in 2016 is no longer offered by Epson USA, but is still very popular in our projector database.

Brief Introduction Beta 2.5

Display Type

3 x LCD TFT Panel
HDTV 16/9 Liquid Crystal Display

Ansi-Lumen

12000

5333 Lux (bei 200 cm Screen)

Contrast

2000000:1

2000000:1

Black Level

0,0060 min. Lumen

0,003 min. Lumen

Lens shift

Vert.: +/-60% Hori.: +/-18%

Resolution

UHD (4K2K) 3840 x 2160
8.294.400 Pixel / FHD E-Shift
HD4K 4096 x 2160 compressed

Video Modes

Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p, 4K UHD (komprimiert), EDTV 480p, 576p

Application

Event | Very large screen width and rooms with plenty of light and shaded daylight.

Light Source

Laser

Light Life

20000 h.

Operating Costs

0,00 € Laser

Focus

Powered

Zoom

Powered 1,62

Objective

F=1,8-2,51

Throw Ratio


1,58-2,56:1

Audio

-

Connections

HDMI mit HDCP 2.2 in
DVI-D in
D-sub 15pin in und out
5 x BNC RGBHV in
Mini Jack Audio in und out



SDI 3G in
RS232C Din 9 pin in
RJ45 in
RJ45 mit HDBaseT in



Ceiling Mounting Yes
Power 920W
Size WxHxD 586 x 185 x 492 mm (23,1"x7,3"x19,4") 53,34 L/dm³
Operating Noise 35 / 29 dB in Eco Mode

Weight 22,00 kg / 48,5 lbs.
Keystone Vert.: +/-30°
Hori.: +/-30°
Illumination -

Frequenz -

Foot-Lamberts 495 fL / max. 1113 cm screen width
1696 cd/m²


- Full HD 1080P compatible
- Lens shift Funktion
- Eco Mode
- Kensington Slot
- Warping
- 360° installable
- Edge Blending
- Lan network compatible.

Features

Optional

Object lens original	V12H004W05 / ELPLW05
Object lens original	V12H004UA3 / ELPLU03S
Object lens original	V12H004U03 / ELPLU03
Object lens original	V12H004M0B / ELPLM11
Object lens original	V12H004M0A / ELPLM10
Object lens original	V12H004M09 / ELPLM09
Object lens original	V12H004L08 / NELPLL08
Object lens original	ELPLW06 / V12H004W06
Object lens original	ELPLU04 / V12H004U04
Object lens original	ELPLL08 / V12H004L08

Order here: <https://www.hcinema.de/lampen/shop-en.php?id=hc1363>



Optional Lenses

Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
ELPLW06	1.19-1.63:1	2.4-3.3 m	+/-60%	+/-18%	Powered
ELPLW05	1.19-1.63:1	2.4-3.3 m	+/-24%	+/-10%	Powered
ELPLU04	0.64-0.78:1	1.3-1.6 m	+/-60%	+/-18%	Powered
ELPLU03	0.48-0.57:1	1-1.1 m	+/-24%	+/-10%	Powered
ELPLM11	3.54-5.41:1	7.1-10.8 m	+/-60%	+/-18%	Powered
ELPLM10	2.43-3.71:1	4.9-7.4 m	+/-60%	+/-18%	Powered
ELPLM09	1.58-2.56:1	3.2-5.1 m	+/-60%	+/-18%	Powered
ELPLL08	5.28-7.72:1	10.6-15.4 m	+/-60%	+/-18%	Powered

Fix Optional Lenses

ELPLX02	0.35:1	0.7 m	+/-21%	+/-15%	No Zoom
---------	--------	-------	--------	--------	---------

More Details



HCinema

<https://www.projector-database.com/pro/epsonproL1505U-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.