


Epson USA Pro L1070WNL

EPSON USA PRO L1070WNL



Brief Introduction

Beta 2.5

With the Pro L1070WNL, manufacturer Epson USA offers an LCD laser projector with WXGA 1280 x 800 resolution and a contrast of 2500000:1. The laser has a service life of 20000 hours, which is over 13.7 years with a daily viewing time of 4 hours. With the lens shift function, the projector can be positioned very freely. Thanks to the brightness of 7000 Ansi lumens, a picture width of 850 cm is possible. The projector can also handle slightly brighter rooms with a smaller image width (we recommend max. 567 cm). Even 1080P video signals are no problem for the projector, and it even has the option of projecting HD 1080P Blu-rays onto the ceiling thanks to 360° projection. On the market since 2020, the model is no longer offered by the manufacturer Epson USA.

Display Type

 3 x 0,76" LCD TFT Panel
WXGA 16/10 Liquid Crystal Display

Ansi-Lumen

Projector 7000 / 4900 im Eco Mode

Screen 2800 Lux (200 cm Screen width)

Contrast

2500000:1 full on/off

2500000:1 full on/off

Black Level

0,0028 min. Lumen

0,001 min. Lumen

Lens shift

Vert.: +/-67% Hori.: +/-30%

Resolution

WXGA 1280 x 800

1.024.000 Pixel

Video Modes

HDTV 1920 x 1080 compressed

Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p, EDTV 480p, 576p

Application

Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Very large screen width and rooms with plenty of light and shaded daylight.

Light Source

Laser

Light Life

20000 h. 30000 h. in Eco Mode

Operating Costs

0,00 € Laser

Focus

Powered

Zoom

Powered 1,62

Objective

F=1,7-2,3 f=24-38,20 mm

Throw Ratio

1,44-2,33:1

Audio

1 x 10W

Connections


HDMI HDCP 2.2 in

DVI-D in

D-sub 15pin in und out

5 x BNC RGBHV in

Mini Jack Audio 3xin und out



USB in
RS232C Din 9 pin in
RJ45 in
HDBaseT in



Ceiling Mounting
Power
Size WxHxD
Operating Noise

Yes, is possible.
361W / 263W in Eco Mode
545 x 189 x 484 mm (21,5"x7,4"x19,1") 49,85 L/dm³
34 / 30 dB in Eco Mode

Weight
Keystone
Illumination

16,90 kg / 37,26 lbs.
Vert.: +/-45°
Hori.: +/-30°
-

Frequenz

-

Foot-Lamberts


260 fL / max. 850 cm screen width
891 cd/m²

Features

- Full HD 1080P compatible
- Lens shift Funktion
- Eco Mode
- 360° installable
- 24/7 continuous operation capable
- Optional Wi-Fi network compatible.
- Lan network compatible.
- Crestron®-Software compatible.

Screen Mirroring

-



Optional accessories



Objektiv Original	V12H004UA3 / ELPLU03S	4.138,56 €
Objektiv Original	ELPLU04 / V12H004U04	3.808,74 €
Objektiv Original	ELPLW06 / V12H004W06	2.776,57 €
Objektiv Original	ELPLW08 / V12H004W08	6.188,00 €
Objektiv Original	V12H004Y01 / ELPLX01W	EOL €
Objektiv Original	ELPLM15 / V12H004M0F	1.662,67 €
Objektiv Original	V12H004M0B / ELPLM11	1.715,47 €
Objektiv Original	V12H004M0A / ELPLM10	1.715,47 €
Objektiv Original	V12H004M08 / ELPLM08	554,15 €
Objektiv Original	V12H004W05 / ELPLW05	1.717,85 €
Objektiv Original	V12H004U03 / ELPLU03	EOL €
Objektiv Original	ELPLL08 / V12H004L08	2.776,57 €



Deckenhalterung Länge 225 mm

Halterung45

83,60 €

Optional Lenses



Name	Ratio	Distance	Shift V	Shift H	Zoom
ELPLM11	4.85-7.38:1	970-1476 m	+/-67%	+/-30%	Powered
ELPLM10	3.32-5.06:1	664-1012 m	+/-67%	+/-30%	Powered
ELPLM15	2.16-3.48:1	432-696 m	+/-67%	+/-30%	Powered
ELPLM08	1.45-2.32:1	290-464 m	+/-67%	+/-30%	Powered
ELPLW06	1.62-2.22:1	324-444 m	+/-67%	+/-30%	
ELPLL08	7.21-10.11:1	1442-2022 m	+/-67%	+/-30%	Powered
ELPLW08	1.18-1.86:1	236-372 m	+/-67%	+/-30%	Powered
ELPLW05	1.04-1.46:1	208-292 m	+/-67%	+/-30%	
ELPLU04	0.87-1.05:1	174-210 m	+/-67%	+/-30%	Powered
ELPLU03S	0.65-0.78:1	130-156 m	+/-67%	+/-30%	
ELPLX01/ELPLX01W	0.35:1	70 m	51.06% Fix	+/-10%	No Zoom

Status 2020 Discontinued (EOL) // Last update of the data: 2026-05-05
Created: 2020-05-20 20:10:40

Data



More Details



HCinema

<https://www.projector-database.com/pro/epsonusaprol1070wnl-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.