

Hitachi CP-WX8750B



H I T A C H I C P - W X 8 7 5 0 B



Brief Introduction

Beta 2.5

With the CP-WX8750B, manufacturer Hitachi offers an LCD projector with WXGA 1280 x 800 resolution and a contrast of 10000:1. The integrated media player allows files to be played directly. With the lens shift function, the projector can be positioned very freely. Thanks to the brightness of 7500 Ansi lumens, a picture width of 880 cm is possible. The projector can also handle slightly brighter rooms with a narrower picture width (we recommend max. 587 cm). The model is also Full HD 1080P compatible. Even projection onto the ceiling is possible thanks to the 360° projection. The model built in 2016 is no longer offered by Hitachi.



3 x LCD TFT Panel

WXGA 16/10 Liquid Crystal Display

Display Type

Ansi-Lumen

7500

3000 Lux (bei 200 cm Screen)

Contrast

10000:1 full on/off

10000:1 full on/off

Black Level

0,7500 min. Lumen

0,3 min. Lumen

Lens shift

Vert.: +55% -0% Hori.: +/-10%

Resolution

WXGA 1280 x 800

1.024.000 Pixel

PAL, SECAM, NTSC, HDTV 720p, 1080i, 1080p EDTV 480p, 576p

Video Modes

Media player formats: • JPEG (.jpeg, .JPEG) • Bitmap (.bmp) • PNG (.png) • GIF (.gif) • Movie (.avi, .mov)

Application

Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Very large screen width and rooms with plenty of light and shaded daylight.

Light Source

430W Lamp

Articel Nr.: DT01881

Light Life

2000 h. 4000 h. in Eco Mode

Operating Costs

7,01% / 0,23 €

Focus

Powered

Zoom

Powered 3

Objective

F=1,6-2,9 f=24-48 mm

Throw Ratio


1,7-3,0:1

Audio

2 x 8W

Connections

2 x HDMI in
D-sub 15 pin in und out
SDI in
S-Video in
Cinch Video in
Cinch Stereo in
USB Typ A,B in
Mini Jack Audio in und out
RS232C Din 9 pin
RJ45 mit HDBaseT in






Ceiling Mounting
Power
Size WxHxD
Operating Noise

Yes
580 / 560W in Eco Mode
497,8 x 154,9 x 426,7 mm (19,6"x6,1"x16,8") 32,61 L/dm³
39 / 33 dB in Eco Mode

Weight
Keystone
Illumination
Frequenz
Foot-Lamberts

8,62 kg / 19 lbs.
Vert.: +/-5° automatisch
Hori.: +/-5°
-
H-sync: 15-106 kHz
V-sync: 50-120 Hz
279 fL / max. 880 cm screen width
956 cd/m²



Features

- Full HD 1080P compatible
- Lens shift Funktion
- Integrated Mediaplayer
- Freeze
- Blackboard Modus
- User logo
- Eco Mode
- Automatic and manual vertical keystone correction
- Kensington Slot
- 360° installable
- Picture-in-Picture
- Password protection
- PJLink™
- Control via web browser
- Optional Wi-Fi network compatible.
- Lan network compatible.
- Crestron®-Software compatible.
- Picture-and-picture

Optional

Air filter original UX40821 / 003-005339-01
Object lens original UL-705
Remote control original HL02805 / R103
Lamp original DT01881 / DT01881M

Order here: <https://www.hcinema.de/lampen/shop-en.php?id=fi23935>

Name

Optional Lenses					
Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
UL-705	5.2-8.7:1	10.4-17.4 m	55%	+/-10%	Powered
ML713.	1.7-3:1	3.4-6 m	55%	+/-10%	Powered
LL704	3.1-5.2:1	6.2-10.4 m	55%	+/-10%	Powered
Fix Optional Lenses					
FL701	0.9:1	1.8 m	0.0% Fix		No Zoom

Status

2016 Discontinued (EOL) // Last update of the data: 2023-08-04
Created: 2016-01-13 16:11:08

Data





HCinema

<https://www.projector-database.com/pro/hitachicpwx8750b-en.html>

More Details

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.