

Hitachi CP X809

HITACHI CP X809



A brief introduction to the CP X809: The Hitachi stationary LCD projector offers 5000 Ansi lumens, a contrast of 1000:1 in theater mode and an XGA 1024 x 768 resolution. The integrated media player can play files directly. The built-in lens shift and keystone correction function provides freedom when setting up. Thanks to the brightness of 5000 Ansi lumens, a picture width of 616 cm is possible. The projector can also handle slightly brighter rooms with a narrower picture width (we recommend max. 411 cm). It is also Full HD 1080P compatible. The projector was launched in 2008 and is no longer sold by the manufacturer.



3 x 0,8" LCD TFT Panel
XGA 4/3 Liquid Crystal Display

Projector

5000
1000:1 full on/off im Theatre Mode
5,0000 min. Lumen
Vert.: +40% -0% Hori.: +/-10% manuell
XGA 1024 x 768

Screen

1667 Lux (bei 200 cm Screen)
1000:1 full on/off im Theatre Mode
1,672 min. Lumen

Brief Introduction

Beta 2.5

Display Type

Ansi-Lumen

Contrast

Black Level

Lens shift

Resolution

Video Modes

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

Connections

UXGA 1600 x 1200 compressed

PAL, SECAM, NTSC, HDTV 720p, 1080i, 1080p EDTV 480p, 576p

Media player formats: • JPEG (.jpeg, .JPEG) • Bitmap (.bmp) • PNG (.png) • MPEG4 (.mp4)

Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Wide screen width or rooms with plenty of light (over 200 lumens).

275W UHB Lamp

Articel Nr.: DT00873

2000 h. 3000 h. in Eco Mode

3,66% / 0,12 €

Manual


Manual 1,2

F=1,7-2,1 f=24,3-29,2 mm

1,5-1,8:1

4 x 4W

HDMI in
D-sub 15pin in und out
5 x BNC RGBHV in
YUV in
S-Video in



Cinch Video in
Cinch Stereo in
Mini Jack in und out
RJ45
SD memory Card Reader



Ceiling Mounting
Power
Size WxHxD
Operating Noise

Yes
460W
420 x 139 x 319 mm (16,5"x5,5"x12,6") 18,62 L/dm³
35 / 29 dB in Eco Mode

Weight
Keystone
Illumination

7,10 kg / 15,65 lbs.
Vert.: +/-40° automatisch
Hori.: +/-20°

Frequenz

H-sync: 31,5-106 kHz
V-sync: 56-120 Hz

Foot-Lamberts


155 fL / max. 616 cm screen width
531 cd/m²

- Full HD 1080P compatible
- Lens shift Funktion manuell
- Integrated Mediaplayer
- Freeze
- Blank (Black screen button)
- Blackboard Modus
- User logo
- Eco Mode
- Automatic and manual vertical keystone correction
- Kensington Slot
- Gamma correction
- Dynamic iris
- Password protection
- Remote control with laser pointer
- Control via web browser
- Wi-Fi network compatible.
- Lan network compatible.
- Overscan adjustable
- De-interlacer with 3:2 pull down..

Features

Bulb only	NLMP18431
Lamp ruby	Ruby-LMP18431
Lamp incl. air filter original	DT00873
Compatible lamp	LMP-K18431
Remote original	HL02881- R016F / HL03032 - R017H / HL02483
Air filter compatible	Alternative zu:MU05661 & MU03642 / 003-002119-01
Air filter original	MU05661 & MU03642 / 003-002119-01
Ceiling Mount 100-120	Halterung100

Order here: <https://www.hcinema.de/lampen/shop-en.php?id=n19054>



Optional Lenses					
Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
UL-604	4-7.48:1	8-15 m	40%	+/-10%	Manual
SL-602	1.25-2.01:1	2.5-4 m	40%	+/-10%	Manual
LL-603	2.04-3.93:1	4.1-7.9 m	40%	+/-10%	Manual
Fix Optional Lenses					
FL-601	0.79:1	1.6 m	0.0% Fix		No Zoom
Status	2008 Discontinued (EOL) // Last update of the data: 2023-08-04				

Data



More Details



HCinema

<https://www.projector-database.com/pro/hitachicpx809-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.