

Mitsubishi WL7200U

MITSUBISHI WL7200U



The Mitsubishi WL7200U LCD projector has 5500 ANSI lumens, a contrast ratio of 2000:1, and a WXGA 1280 x 800 resolution. The integrated lens shift gives you freedom when setting up the projector. A picture width of up to 753 cm is possible; if the picture width is smaller (we recommend max. 502 cm), even rooms with residual light are no problem. The projector can also play 1080P without any problems. Even projection onto the ceiling is possible thanks to the 360° projection. The projector was launched in 2012 and is no longer sold by the manufacturer.



3 x 0,75" LCD TFT Panel
WXGA 16/10 Liquid Crystal Display

Brief Introduction Beta 2.5

Display Type

Ansi-Lumen

Contrast

Black Level

Lens shift

Resolution

Video Modes

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

Connections

Projector 5500

2000:1 full on/off

2,7500 min. Lumen

Vert.: +/-60% Hori.: +/-30%

WXGA 1280 x 800

1.024.000 Pixel

WUXGA 1920 x 1200 compressed

PAL, SECAM, NTSC, HDTV 720p, 1080i, 1080p EDTV 480p, 576p

Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Wide screen width or rooms with plenty of light (over 200 lumens).

350 / 264W im Eco Mode Lamp

Article Nr.: VLT-XL7100LP

3000 h.

-

Powered

Powered 1,8

F=1,8-2,6 f=24,0-43,20 mm

1,5-2,7:1

-


HDMI 1.3 in
DVI-D mit HDCP in
D-sub 15 pin in und out
5 x BNC RGBHV in
S-Video in
Cinch Video in
Cinch Stereo in

Screen


2200 Lux (bei 200 cm Screen)

2000:1 full on/off

1,101 min. Lumen



	RS232C Din 9 pin in
	RJ45 in
Ceiling Mounting	Mini Jack Audio in und out
Power	Yes, is possible.
Size WxHxD	-
Operating Noise	481 x 179 x 503 mm (18,9"x7"x19,8") 43,31 L/dm³
	30 dB in Eco Mode



Weight	10,52 kg / 23,19 lbs.
Keystone	-
Illumination	-
Frequenz	-
Foot-Lamberts	204 fL / max. 753 cm screen width
	699 cd/m²

- Full HD 1080P compatible
- Direkt Power Off
- Lens shift Funktion
- Freeze
- Eco Mode
- Kensington Slot
- sRGB
- Gamma correction
- Warping
- 360° installable
- Password protection
- PJLink™
- Control via web browser
- Lan network compatible.
- Overscan adjustable
- Crestron®-Software compatible.
-

Features	
Screen Mirroring	-

Optional accessories

	Lampe Ruby	Ruby-LMP20847	250,58 €
	Lampe Original	VLT-XL7100LP / 915D116O15	EOL €
	Kompatible Lampe	LMP-K20845	116,54 €
	Universal Fernbedienung	Fernb-uni-V3	22,31 €
	Luftfilter Original	750D090O50	EOL €
	Deckenhalterung 220	Halterung45	83,60 €

Optional Lenses					
Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
OL-XL7100TZ	4.3-7.3:1	8.6-14.6 m	+/-60%	+/-30%	
OL-XL7100SZ	1.2-1.5:1	2.4-3 m	+/-60%	+/-30%	No Zoom
OL-XL7100LZ	2.6-4.4:1	5.2-8.8 m	+/-60%	+/-30%	Powered
Fix Optional Lenses					
OL-XL7100FR	0.8:1	1.6 m	0.0% Fix		No Zoom
Status	2012 Discontinued (EOL) // Last update of the data: 2023-08-04				

Data		
------	---	---



HCinema

<https://www.projector-database.com/pro/mitsubishiw17200u-en.html>

More Details

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.