

Nec HT1100

NEC HT1100



The HT1100 DLP has 1100 Ansi lumens, a contrast of 3500:1 with iris and an XGA 1024 x 768 resolution. Includes an integrated media player that can be used to play files directly. Horizontal and vertical keystone correction makes image adjustment childs play. A picture width of up to 289 cm is possible as the projector has 1100 Ansi lumens. However, if room light is available, the image should be a maximum of 193 cm wide. Playing 1080P is also no problem for the projector. With only 29 decibels of operating noise, the model is already very quiet compared to others. This model is no longer offered by Nec.

Brief Introduction

Beta 2.5

Display Type

1 x 0,69" 12 Grad DDR DLP Chip
XGA 4/3 Ti Digital Light Processing Chip

Ansi-Lumen

Projector 1100

Screen 367 Lux (200 cm Screen width)

Contrast

3500:1 full on/off mit Iris

3500:1 full on/off mit Iris

Black Level

0,3143 min. Lumen

0,105 min. Lumen

Offset

Resolution

XGA 1024 x 768

786.432 Pixel

SXGA 1280 x 1024 compressed

Video Modes

PAL, SECAM, NTSC, HDTV 720p, 1080i, 1080p, EDTV 480p, 576p

Disc Recognition

Media player formats: BMP JPEG

Application

DVD | HD Blu-ray (komprimiert) | 3D-Blu-ray | 4K-UHD-Blu-ray

Homecinema | Small screen width, rooms with very little ambient light below 100 lumens.

Light Source

220W DC NSH Lamp

Light Life

Article Nr.: 50023919 / LT60LPK

2000 h. 2500 h. in Eco Mode

Operating Costs

-

Focus

Manual

Zoom

Manual 1,2

Objective

F=2,5-2,7 f=22,2-26,7 mm

Throw Ratio

1,5-1,9:1

Audio

2 x 2W

Connections

1 x Mini D-Sub 15pin Komponentensignal (YPbPr) und SCART


1 x DVI-D in

1 x Cinch in

1 x S-Video in

1 x YUV

4 x 3,5 mm Stereo Klinkenstecker in 1 x out



1 x: DIN 8-polig
1 x PCMCIA Slot Type-2



Ceiling Mounting
Power
Size WxHxD
Operating Noise

Yes, is possible.
290W 0,6W standby
260 x 92 x 275 mm (10,2"x3,6"x10,8") 6,58 L/dm³
29dB

Weight
Keystone
Illumination

3,20 kg / 7,05 lbs.
Vert.: +/-40°
Hori.: +/-25°
-

Frequenz

H-sync: 15-100 kHz
V-sync: 48-100 Hz

Foot-Lamberts

34 fL / max. 289 cm screen width
116 cd/m²

- Full HD 1080P compatible
- Integrated Mediaplayer
- Freeze
- Eco Mode
- Kensington Slot
- sRGB
- Gamma correction
- Dynamic iris
- Digital image shift
- Password protection

Features


- Remote control with backlight
- Optional Wi-Fi network compatible.
- Optional LAN network compatible.
- Overscan adjustable
- Crestron®-Software compatible.
- Verbesserungen gegenüber dem Vorgänger Modell HT1000
- - 5 fach Speed Farbrad
- - neu verbesserte Iris
- - neu verbesserte Software (Onscreen Menü)
- - De-interlacer mit 3:2 2:2 pull down (kein Faroudja DCDi wie beim Vorgänger)
- - Beleuchtete Fernbedienung
- - Günstiger Preis

Screen Mirroring
In Test

-
-
- Improvements compared to the predecessor model HT1000
- 5x speed color wheel
 - newly improved iris

Please note

- newly improved software (onscreen menu)
- De-interlacer with 3:2 2:2 pull down (no Faroudja DCDi like the predecessor)
- Illuminated remote control
- Affordable price



Optional accessories

	Nackte Lampe	NLMP2452	90,42 €
	Lampe Ruby	Ruby-LMP2452	118,89 €
	Lampe Original	LT60LPK / 50023919	EOL €
	Kompatible Lampe	LMP-K18684	79,58 €
	Universal Fernbedienung	Fernb-uni-V3	22,31 €
	Fernbedienung Original	7N900571 / RD-413E	EOL €
	Deckenhalterung 100-120	Halterung100	47,86 €

Status 2004 Discontinued (EOL) // Last update of the data: 2026-06-09



Data



More Details

HCinema

<https://www.projector-database.com/pro/necht1100-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.