

Panasonic PT DZ570E/U

PANASONIC PT DZ570E/U



The PT DZ570E/U DLP projector from Panasonic has 4000 ANSI lumens, a contrast ratio of 2000:1, and a WUXGA 1920 x 1200 resolution. The ambient light sensor allows the projector to automatically optimize the projected image. The lens shift function allows the projector to be positioned very freely. An image width of up to 643 cm is possible; if the image width is smaller (we recommend max. 429 cm), even rooms with residual light are no problem. Furthermore, the projector can play 1080P without any problems. Even projection onto the ceiling is possible thanks to the 360° projection. The projector was launched in 2010 and is no longer sold by the manufacturer, but is still very popular in our projector database.



1 x 0,67" DLP Chip
WUXGA 16/9 Ti Digital Light Processing Chip

Projector	4000	Screen	1778 Lux (bei 200 cm Screen)
Contrast	2000:1 full on/off		2000:1 full on/off
Black Level	2,0000 min. Lumen		0,89 min. Lumen

Vert.: +60% -0% Hori.: +/-10%

Resolution WUXGA 1920 x 1200

2.304.000 Pixel

Video Modes PAL, SECAM, NTSC, HDTV 720p, 1080i, 1080p EDTV 480p, 576p

Application Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Wide screen width or rooms with plenty of light (over 200 lumens).

Light Source 310W UHM Lamp

Article Nr.: ET-LAD60A

Light Life 2000 h. 3000 h. in eco Mode

Operating Costs 5,48% / 0,19 €

Focus Manual


Zoom Manual 2

Objective F=2,0-3,4 f=21,5-43,0 mm

Throw Ratio 1,45-2,94:1

Audio -

Connections HDMI in
DVI-D mit HDCP in
5 x RGBHV in
D-sub 15 pin in
BNC Video in
S-Video in



Brief Introduction
Beta 2.5

Display Type

Ansi-Lumen

Contrast

Black Level

Lens shift

Resolution

Video Modes

Application

Light Source

Light Life

Operating Costs

Focus

Zoom


Objective

Throw Ratio

Audio

Connections

Cinch Stereo in
Mini Jack Audio in und out
RS232C Din 9 pin in
RJ45 in



Ceiling Mounting
Power
Size WxHxD
Operating Noise

Yes, is possible.
415W
332 x 168 x 484,5 mm (13,1"x6,6"x19,1") 27 L/dm³
-


Weight
Keystone
Illumination
Frequenz
Foot-Lamberts

8,50 kg / 17,64 lbs.
Vert.: +/-40°
90%
H-sync: 27-100 kHz
V-sync: 24-120 Hz
Range max.: 162 MHz
165 fL / max. 643 cm screen width
565 cd/m²

- Full HD 1080P compatible
- Direkt Power Off
- Lens shift Funktion
- Eco Mode
- 360° installable
- Password protection
- PJLink™
- Control via web browser
- Optional Wi-Fi network compatible.
- Lan network compatible.
- Ambient Light Sensor.
-

Features
Screen Mirroring

-




Optional accessories

	Doppel Lampe Ruby	Ruby-LMP18907	252,32 €
	Einzel Lampe Ruby	Ruby-LMP25312	163,82 €
	Doppel Lampe inkl. Luftfilter Original	ET-LAD60W / ET-LAD60AW	557,00 €
	Einzel Lampe inkl. Luftfilter Original	ET-LAD60 / ET-LAD60A	375,42 €
	Doppel Kompatible Lampe	LMP-K18907	139,48 €
	Einzel Kompatible Lampe	LMP-K18905	76,20 €
	Fernbedienung Original	N2QAYB000566	44,63 €
	Deckenhalterung 220	Halterung45	83,60 €

Status 2010 Discontinued (EOL) // Last update of the data: 2023-08-12

Data





HCinema

<https://www.projector-database.com/pro/panasonicptdz570u-en.html>

More Details

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.