


Sanyo PLC HP7000L

SANYO PLC HP7000L



The Sanyo PLC HP7000L LCD projector has 7000 Ansi lumens, a contrast of 2700:1 and an HDTV 1920 x 1080 resolution. The projector also offers a lens shift function that makes image adjustment child's play. The projector can illuminate images up to 850 cm wide thanks to its 7000 Ansi lumens. The projector can create rooms with residual light with a smaller image width, we recommend a maximum of 567 cm. In the event that the image is still too small, the projector offers integrated edge blending software, which allows several projectors to project a large image together. Even 1080P video signals are no problem for the projector. Even projection onto the ceiling is possible thanks to the 360° projection. The model built in 2011 is no longer offered by Sanyo.

 3 x 1,2" LCD TFT Panel
HDTV 16/9 Liquid Crystal Display

Projector	7000 / 5400 im Eco Mode	Screen	3111 Lux (bei 200 cm Screen)
Contrast	2700:1 full on/off		2700:1 full on/off
Black Level	2,5926 min. Lumen		1,153 min. Lumen

Lens shift
Vert.: +50% -0% Hori.: +/-10%
Resolution
HDTV 1920 x 1080
2.073.600 Pixel

Video Modes
PAL, SECAM, NTSC, HDTV 720p, 1080i, 1080p EDTV 480p, 576p

Application
Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Very large screen width and rooms with plenty of light and shaded daylight.

Light Source
380W NSH Lamp

Article Nr.: 610-357-0464

Light Life
2000 h. 3000 h. in Eco Mode

Operating Costs
-

Focus
Powered


Zoom
Powered

Objective
optional

Throw Ratio
optional

Audio
Nein

Connections
HDMI 1.3b
DVI-D
D-sub 15 pin in und out
5 x BNC RGBHV in



Brief Introduction

Beta 2.5


S-Video in
Cinch Video in
RJ45 in
USB Typ B
RS232C

Ceiling Mounting Yes, is possible.
Power 500 / 410W in Eco Mode
Size WxHxD 370 x 187 x 439 mm (14,6"x7,4"x17,3") 30,37 L/dm³
Operating Noise 42 / 38 dB in Eco Mode

Weight 11,60 kg / 25,57 lbs.
Keystone Vert.: +/-30°
Hori.: +/-30°
Illumination 90%
Frequenz H-sync: 15-120 kHz
V-sync: 48-100 Hz
Foot-Lamberts 289 fL / max. 850 cm screen width
990 cd/m²

- Full HD 1080P compatible
- Direkt Power Off
- Lens shift Funktion
- Freeze
- User logo
- Eco Mode
- Kensington Slot
- 360° installable
- Edge Blending
- Picture-in-Picture
- Lan network compatible.
- Digital zoom
- - and picture-in-picture function
- Inorganic LCD panels and QuaDrive® technology

Screen Mirroring -



Optional accessories

	Lampe Ruby	Ruby-LMP20676	320,57 €
	Lampe Original	610-357-0464 / LMP149 / ET-SLMP149	EOL €
	Luftfilter Kompatibel	Alternative zu:POA-FIL-100 / 610 342 9571 / ET-SFYL100 / 003-003965-01	68,72 €
	Objektiv Original	ET-SS32 / LNS-S32	EOL €
	Objektiv Original	ET-ST32 / LNS-T32	EOL €
	Objektiv Original	ET-ST33 / LNS-T33	EOL €
	Objektiv Original	ET-ST34 / LNS-T34	EOL €
	Objektiv Original	ET-SW33 / LNS-W33	EOL €
	Objektiv Original	ET-SW34 / LNS-W34	EOL €
	Universal Fernbedienung	Fernb-uni-V3	22,31 €
	Luftfilter Original	POA-FIL-100 / 610 342 9571 / ET-SFYL100 / 003-003965-01	EOL €
	Deckenhalterung 220	Halterung45	83,60 €

Optional Lenses

Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
LNS-W33	1.3-1.8:1	2.6-3.6 m	50%	+/-10%	Powered
LNS-T34	2.3-4.2:1	4.6-8.4 m	50%	+/-10%	Powered
LNS-T33	5.7-9:1	11.4-18 m	66.67%	+/-10%	Powered
LNS-T32	4.2-6:1	8.4-12 m	66.67%	+/-10%	Powered

LNS-S32	1.8-2.3:1	3.6-4.6 m	50%	+/-10%	Powered
LNS-W34	0.8:1	1.6 m	0.0% Fix		No Zoom
Status	2011 Discontinued (EOL) // Last update of the data: 2025-03-03				

Data



More Details



HCinema

<https://www.projector-database.com/pro/sanyoplchp7000l-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.